

**NEW**



# ALUMINUM PUMP JACK SYSTEM

*Compatible  
and interchangeable  
with leading competitor*

## **SYSTEM INCLUDES**


- Pump Jack
- Work Bench
- Poles and Braces
- Square Guard Rail
- Safety Net

**NEW**

- Nestable Stages



# The Werner Pump Jack System




## Easy Set Up\*

- ① Install lower foot lever to Pump Jack



- ② Install Pump Jack to pole




- ③ Install work bench to Pump Jack



- ④ Install pole to work wall

- ⑤ Install scaffold platform




## Aluminum Poles

Durable design for all types of weather.

Available lengths:

6', 12', 18', 24'



# Why Werner

## Ease of Operation

**Crank handle** is easily unlocked and allows for effortless rotation while lowering the pump jack

## Strength and Durability

**Aluminum frame "Z" channel** (U.S. Patent Pending) is **20%** stronger than leading competitor

**Powder coated end plate** provides rigid chain attachment to maintain position during use



*Meets or exceeds ANSI / OSHA requirements*

## Safety is Job One



### End Rail Kit

- Easy to assemble
- Attaches to any stage
- Available in various widths



### 22' Safety Net

- Easy to attach
- Stores tools and debris
- Meets OSHA requirements for vertical fall protection

## On-site Replacements



## NEW Nestable Stages



- Continuous work platform reduces trip hazard
- 2 Person – 500 lbs. Rat

### Available Sizes

WNS 2412 14"x12' Stage  
WNS 2416 14"x16' Stage  
WNS 2420 14"x20' Stage  
WNS 2424 14"x24' Stage  
WNS 2512 20"x12' Stage  
WNS 2516 20"x16' Stage

WNS 2520 20"x20' Stage  
WNS 2524 20"x24' Stage  
WNS 2612 24"x12' Stage  
WNS 2616 24"x16' Stage  
WNS 2620 24"x20' Stage  
WNS 2624 24"x24' Stage





The #1 Brand in Professional Climbing Equipment.



**NOTE:**  
When working  
10 ft and above,  
OSHA requires fall  
protection. Refer to  
product labels.

#### Components shown

|   | Description            | Model #  | Ship WT. | Packaged Length | Packaged Width | Packaged Height | UPC             |
|---|------------------------|----------|----------|-----------------|----------------|-----------------|-----------------|
| 1 | Foldable support brace | PJ-SBF   | 9 lbs.   | 54"             | 6.5"           | 3"              | 0 51751 07057 6 |
| 2 | Nestable stage         | WNS 2420 | 85 lbs.  | 20'             | 14"            | 6"              | 0 51751 07104 7 |
| 3 | Safety net             | PJ-SN    | 9 lbs.   | 24"             | 8"             | 8"              | 0 51751 07074 3 |
| 4 | Work bench             | PJ-WB    | 15 lbs.  | 21"             | 20.5"          | 8.5"            | 0 51751 07055 2 |
| 5 | Pump Jack              | PJ-100   | 30 lbs.  | 28.75"          | 24"            | 9.5"            | 0 51751 07054 5 |
| 6 | End rail kit (narrow)  | PJ-ERN   | 15 lbs.  | 49"             | 5"             | 9"              | 0 51751 07095 8 |
| 7 | 24' aluminum pole      | PJ-24P   | 56 lbs.  | 290.5"          | 3"             | 3.4"            | 0 51751 07071 2 |

#### Other components available

|  | Description         | Model # | Ship WT. | Packaged Length | Packaged Width | Packaged Height | UPC             |
|--|---------------------|---------|----------|-----------------|----------------|-----------------|-----------------|
|  | Rigid support brace | PJ-SBR  | 14 lbs.  | 38"             | 37"            | 3"              | 0 51751 07056 9 |
|  | 6' Aluminum pole    | PJ-6P   | 14 lbs.  | 74.5"           | 3"             | 3.4"            | 0 51751 07068 2 |
|  | 12' Aluminum pole   | PJ-12P  | 28 lbs.  | 146.5"          | 3"             | 3.4"            | 0 51751 07069 9 |
|  | 18' Aluminum pole   | PJ-18P  | 42 lbs.  | 217.5"          | 3"             | 3.4"            | 0 51751 07070 5 |
|  | Pole connector      | PJ-PC   | 12 lbs.  | 73"             | 3.5"           | 3"              | 0 51751 07072 9 |
|  | Pole foot           | PJ-PF-4 | 3 lbs.   | 8.5"            | 8.5"           | 3.5"            | 0 51751 07172 6 |
|  | End rail kit (wide) | PJ-ERW  | 17 lbs.  | 49"             | 5"             | 9"              | 0 51751 07096 5 |

#### Replacement parts available

|  | Description   | Model # | Ship WT. | Packaged Length | Packaged Width | Packaged Height | UPC             |
|--|---------------|---------|----------|-----------------|----------------|-----------------|-----------------|
|  | Crank handle  | 52-3    | 1 lbs.   | 7"              | 5"             | 2"              | 0 51751 07091 0 |
|  | Foot lever    | 52-4    | 2 lbs.   | 14"             | 7"             | 2"              | 0 51751 07092 7 |
|  | Boot strap    | 52-5    | 1 lbs.   | 6"              | 5"             | 2"              | 0 51751 07093 4 |
|  | Pole foot     | 52-6    | .75 lbs. | 5.25"           | 4.5"           | 3.25"           | 0 51751 07094 1 |
|  | Upper shackle | 52-1    | 8 lbs.   | 20"             | 8"             | 5.5"            | 0 51751 07089 7 |
|  | Lower shackle | 52-2    | 5 lbs.   | 9"              | 6"             | 4.5"            | 0 51751 07090 3 |



Ask your Werner representative  
about in-store merchandising units.

Werner Co.  
Corporate Headquarters Werner Co.  
93 Werner Rd • Greenville, PA 16125-9499  
Tel: (724) 588-8600 Fax: (724) 588-0315  
[www.wernerladder.com](http://www.wernerladder.com)



A10.8.2000